

CLAIMS

We claim:

*First A8* > 1. A method of providing enhanced safety among plurality of hunters hunting in a particular locale, said 5 method comprising the steps of:

(1) providing a wireless communication system covering said locale; and

10 (2) providing each hunter with an electronic device adapted to determine its location, transmit its location information through said wireless communication system, receive location information of said other of said devices in said locale, determine the location of the other of said devices in said locale relative to its own location, and indicate if an unsafe condition exists.

15 2. The method of claim 1 wherein step (2) further comprises providing each device with an electronic compass to determine an orientation of said device, said device further adapted to combine said orientation information and said location information to determine the distance and direction 20 of said other devices relative to said device and wherein said unsafe condition comprises another of said devices being within a certain distance and in a certain direction of said device.

3. The method of claim 2 further comprising the step  
of:

(3) providing a mechanism to each said hunters for  
mounting said device to said hunter's such that said compass  
5 indicates the direction in which said is pointing.

4. The method of claim 2 wherein step (1) comprises  
providing a peer-to-peer wireless transceiver in each said  
device.

5. The method of claim 2 wherein step (1) comprises the  
steps of:

(1.1) providing a central processing device;  
10 (1.2) receiving at said central processing device said  
location information transmitted by said devices in said  
locale;

15 (1.3) processing at said central processing device said  
location information of said devices to generate a report of  
the location of all of said devices in said locale; and

(1.4) transmitting said report from said central  
processing device to said devices in said locale.

20 6. The method of claim 5 further comprising the step  
of:

(1.5) providing at least one communication base station  
comprising an antenna and a transceiver for transferring said

location data and said report between said devices and said central processing device.

7. The method of claim 5 further comprising the steps of:

5 (1.6) utilizing a third party wireless communication system for transferring said location data and said report between said devices and said central processing device.

8. The method of claim 5 further comprising the step of:

10 (4) providing a hunting ground within which said devices can operate.

9. An apparatus for providing enhanced safety among a plurality of hunters hunting in a particular locale, said apparatus comprising:

15 an electronic device adapted to determine its location and generate a location signal;

a wireless transmitter for transmitting said location signal;

20 a wireless receiver for receiving location information of said other of said devices; and

a processing device adapted to determine the location of the other of said apparatuses relative to said apparatus and generate a warning of an unsafe condition exists.

10. The apparatus of claim 9 further comprising an electronic compass to determine an orientation of said apparatus and wherein said processing device combines said orientation information and said location information to 5 determine the distance and direction of said other devices relative to said device and wherein said unsafe condition comprises another of said devices being within a certain distance and in a certain direction of said device.

11. The apparatus of claim 10 further comprising:  
100 a mechanism for mounting said device to a such that said compass indicates the direction in which said is pointing.

12. The apparatus of claim 9 wherein said electronic device adapted to determine location comprises a Global Positioning Satellite receiver.

15 13. The apparatus of claim 9 wherein said wireless transmitter and said wireless receiver are adapted to communicate with others of said apparatus on a peer-to-peer basis.

20 14. The apparatus of claim 9 wherein said wireless transmitter and said wireless receiver are adapted to communicate with a base station.

15. The apparatus of claim 9 further comprising a warning device for indicating said unsafe condition.

16. The apparatus of claim 15 wherein said warning device is an audio device for generating an audible signal.

5 17. The apparatus of claim 15 wherein said warning device is a display device for generating a visual signal.

18. The apparatus of claim 17 wherein said display device is an LCD display screen.

19. The apparatus of claim 18 wherein said display device comprises at least one light that is illuminated when an unsafe condition is detected.

20. The apparatus of claim 9 further comprising a signal output line for coupling to control a firing mechanism of a and wherein said processing device further asserts a signal on 15 said signal output line that disables said firing mechanism when said unsafe condition exists.

21. The apparatus of claim 9 wherein said processing device causes said transmitter to transmit said location information if said apparatus has moved more than a

**PATENT**

22

**Docket No. RSW9-2001-0044-US1**

predetermined distance since the last time the apparatus transmitted its location information.

卷之三